SUBSTITUTE FOR

HOUSE BILL NO. 5337

A bill to amend 1949 PA 300, entitled "Michigan vehicle code,"

by amending section 722 (MCL 257.722), as amended by 2000 PA 6.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

- 1 Sec. 722. (1) The maximum axle load shall not exceed the
- 2 number of pounds designated in the following provisions that pre-
- 3 scribe the distance between axles:
- 4 (a) If the axle spacing is 9 feet or more between axles, the
- 5 maximum axle load shall not exceed 18,000 pounds for vehicles
- 6 equipped with high pressure pneumatic or balloon tires.
- 7 (b) If the axle spacing is less than 9 feet between 2 axles
- 8 but more than 3-1/2 feet, the maximum axle load shall not exceed
- 9 13,000 pounds for high pressure pneumatic or balloon tires.
- 10 (c) If the axles are spaced less than 3-1/2 feet apart, the
- 11 maximum axle load shall not exceed 9,000 pounds per axle.

- 1 (d) Subdivisions (a), (b), and (c) shall be known as the
- 2 normal loading maximum.
- 3 (2) When normal loading is in effect, the state transporta-
- 4 tion department, or a local authority with respect to highways
- 5 under its jurisdiction, may designate certain highways, or sec-
- 6 tions of those highways, where bridges and road surfaces are ade-
- 7 quate for heavier loading, and revise a designation as needed, on
- 8 which the maximum tandem axle assembly loading shall not exceed
- 9 16,000 pounds for any axle of the assembly, if there is no other
- 10 axle within 9 feet of any axle of the assembly.
- 11 (3) Except as provided in subsection (10), on ON a legal
- 12 combination of vehicles, only 1 tandem axle assembly shall be
- 13 permitted on the designated highways at the gross permissible
- 14 weight of 16,000 pounds per axle, if there is no other axle
- 15 within 9 feet of any axle of the assembly, and if no other tandem
- 16 axle assembly in the combination of vehicles exceeds a gross
- 17 weight of 13,000 pounds per axle. When the maximum gross weight
- 18 of a combination of vehicles with load does not exceed 73,280
- 19 pounds, 2 ON A COMBINATION OF TRUCK TRACTOR AND SEMITRAILER
- 20 HAVING NOT MORE THAN 5 AXLES, 2 CONSECUTIVE tandem axle assem-
- 21 blies shall be permitted on the designated highways at a gross
- 22 permissible weight of 16,000 pounds per axle, if there is no
- 23 other axle within 9 feet of any axle of the assembly.
- 24 (4) NOTWITHSTANDING SUBSECTION (3), ON A COMBINATION OF
- 25 TRUCK TRACTOR AND SEMITRAILER HAVING NOT MORE THAN 5 AXLES, 2
- 26 CONSECUTIVE SETS OF TANDEM AXLES MAY CARRY A GROSS PERMISSIBLE
- 27 WEIGHT OF NOT TO EXCEED 17,000 POUNDS ON ANY AXLE OF THE TANDEM

- 1 AXLES IF THERE IS NO OTHER AXLE WITHIN 9 FEET OF ANY AXLE OF THE
- 2 TANDEM AXLES AND IF THE FIRST AND LAST AXLES OF THE CONSECUTIVE
- 3 SETS OF TANDEM AXLES ARE NOT LESS THAN 36 FEET APART AND THE
- 4 GROSS VEHICLE WEIGHT DOES NOT EXCEED 80,000 POUNDS TO PICK UP AND
- 5 DELIVER AGRICULTURAL COMMODITIES BETWEEN THE NATIONAL TRUCK NET-
- 6 WORK OR SPECIAL DESIGNATED HIGHWAYS AND ANY OTHER HIGHWAY. THIS
- 7 SUBSECTION IS NOT SUBJECT TO THE MAXIMUM AXLE LOADS OF SUBSEC-
- 8 TIONS (1), (2), AND (3). FOR PURPOSES OF THIS SUBSECTION, A
- 9 "TANDEM AXLE" MEANS 2 AXLES SPACED MORE THAN 40 INCHES BUT NOT
- 10 MORE THAN 96 INCHES APART OR 2 AXLES SPACED MORE THAN 3-1/2 FEET
- 11 BUT LESS THAN 9 FEET APART. THIS SUBSECTION DOES NOT APPLY
- 12 DURING THAT PERIOD WHEN REDUCED MAXIMUM LOADS ARE IN EFFECT PUR-
- 13 SUANT TO SUBSECTION (7). THIS SUBSECTION DOES NOT APPLY AFTER
- 14 DECEMBER 31, 2006.
- 15 (5) -(4) The exception to the loading maximums and gross
- 16 vehicle weight requirements of subsection -(10) (11) under sub-
- 17 section $\frac{(6)}{(7)}$ (7) for a person hauling agricultural commodities
- 18 OR A PUBLIC UTILITY VEHICLE applies only if the person who picks
- 19 up or delivers the agricultural commodity either from a farm or
- 20 to a farm OR THE PUBLIC UTILITY notifies the county road commis-
- 21 sion for roads under its authority not less than 48 hours before
- 22 the pickup or delivery of the time and location of the pickup or
- 23 delivery. The county road commission shall issue a permit TO THE
- 24 PERSON OR THE PUBLIC UTILITY and charge a fee that does not
- 25 exceed the administrative costs incurred. to the person
- 26 containing THE PERMIT SHALL CONTAIN the following:

- 1 (a) The designated route or routes of travel for the load.
- 2 (b) The date and time period requested by the person who
- 3 picks up or delivers the agricultural commodities OR THE PUBLIC
- 4 UTILITY during which the load may be delivered or picked up.
- 5 (c) A maximum speed limit of travel, if necessary.
- 6 (d) Any other specific conditions agreed to between the7 parties.
- 8 This subsection does not apply after April 1, 2002.
- 9 (6) $\overline{\text{(5)}}$ The normal size of tires shall be the rated size
- 10 as published by the manufacturers, and the maximum wheel load
- 11 permissible for any wheel shall not exceed 700 pounds per inch of
- 12 width of tire.
- 13 (7) $\overline{(6)}$ Except as provided in this subsection and subsec-
- 14 tion $\frac{1}{7}$ (8), during the months of March, April, and May in
- 15 each year, the maximum axle load allowable on concrete pavements
- 16 or pavements with a concrete base shall be reduced by 25% from
- 17 the maximum axle load as specified in this chapter, and the maxi-
- 18 mum axle loads allowable on all other types of roads during these
- 19 months shall be reduced by 35% from the maximum axle loads as
- 20 specified. The maximum wheel load shall not exceed 525 pounds
- 21 per inch of tire width on concrete and concrete base or 450
- 22 pounds per inch of tire width on all other roads during the
- 23 period the seasonal road restrictions are in effect. Until
- 24 April 1, 2002, this THIS subsection does not apply to vehicles
- 25 transporting agricultural commodities OR PUBLIC UTILITY VEHICLES
- 26 on a highway, road, or street under the jurisdiction of a local
- 27 road agency.

- 1 (8) $\overline{(7)}$ The state transportation department for roads
- 2 under its jurisdiction and a county road commission for roads
- 3 under its jurisdiction may grant exemptions from seasonal weight
- 4 restrictions for milk on specified routes when requested in
- 5 writing. Approval or denial of a request for an exemption shall
- 6 be given by written notice to the applicant within 30 days after
- 7 the date of submission of the application. If a request is
- 8 denied, the written notice shall state the reason for denial and
- 9 alternate routes for which the permit may be issued. The appli-
- 10 cant shall have the right to appeal to the state transportation
- 11 commission or the county road commission. These exemptions shall
- 12 not apply on county roads in counties that have negotiated agree-
- 13 ments with milk haulers or haulers of other commodities during
- 14 periods of seasonal load limits before April 14, 1993. This sub-
- 15 section does not limit the ability of these counties to continue
- 16 to negotiate such agreements.
- 17 (9) $\overline{(8)}$ The state transportation department, or a local
- 18 authority with respect to highways under its jurisdiction, may in
- 19 its discretion suspend the restrictions imposed by this section
- 20 when and where conditions of the highways or the public health,
- 21 safety, and welfare warrant suspension, and impose the restricted
- 22 loading requirements of this section on designated highways at
- 23 any other time that the conditions of the highway require.
- 24 (10) $\overline{(9)}$ For the purpose of enforcement of this act, the
- 25 gross vehicle weight of a single vehicle and load or a combina-
- 26 tion of vehicles and loads, shall be determined by weighing
- 27 individual axles or groups of axles, and the total weight on all

House Bill No. 5337

6

- 1 the axles shall be the gross vehicle weight. In addition, the
- 2 gross axle weight shall be determined by weighing individual
- 3 axles or by weighing a group of axles and dividing the gross
- 4 weight of the group of axles by the number of axles in the
- **5** group. Pursuant to subsection -(10) (11), the overall gross
- 6 weight on a group of 2 or more axles shall be determined by
- 7 weighing individual axles or several axles, and the total weight
- 8 of all the axles in the group shall be the overall gross weight
- 9 of the group.
- 10 (11) $\overline{(10)}$ The loading maximum in this subsection applies
- 11 to interstate highways, and the state transportation department,
- 12 or a local authority with respect to highways under its jurisdic-
- 13 tion, may designate a highway, or a section of a highway, for the
- 14 operation of vehicles having a gross vehicle weight of not more
- 15 than 80,000 pounds that are subject to the following load
- 16 maximums:
- 17 (a) Twenty thousand pounds on any 1 axle, including all
- 18 enforcement tolerances.
- 19 (b) A tandem axle weight of 34,000 pounds, including all
- 20 enforcement tolerances.
- 21 (c) An overall gross weight on a group of 2 or more consecu-
- 22 tive axles equaling:

23

24
$$W = 500 / LN + 12N + 36 / N-1 /$$

- 26 where W = overall gross weight on a group of 2 or more consecu-
- 27 tive axles to the nearest 500 pounds, L = distance in feet
- 28 between the extreme of a group of 2 or more consecutive axles,

- 1 and N = number of axles in the group under consideration; except
- 2 that 2 consecutive sets of tandem axles may carry a gross load of
- 3 34,000 pounds each if the first and last axles of the consecutive
- 4 sets of tandem axles are not less than 36 feet apart. The gross
- 5 vehicle weight shall not exceed 80,000 pounds including all
- 6 enforcement tolerances. Except for 5 axle truck tractor, semi-
- 7 trailer combinations having 2 consecutive sets of tandem axles,
- 8 vehicles having a gross weight in excess of 80,000 pounds or in
- 9 excess of the vehicle gross weight determined by application of
- 10 the formula in this subsection shall be subject to the maximum
- 11 axle loads of subsections (1), (2), and (3). As used in this
- 12 subsection, "tandem axle weight" means the total weight transmit-
- 13 ted to the road by 2 or more consecutive axles, the centers of
- 14 which may be included between parallel transverse vertical planes
- 15 spaced more than 40 inches but not more than 96 inches apart,
- 16 extending across the full width of the vehicle. Except as other-
- 17 wise provided in this section, vehicles transporting agricultural
- 18 commodities shall have weight load maximums as defined in this
- 19 subsection.
- 20 (12) $\overline{(11)}$ As used in this section, "agricultural
- 21 commodities" means those plants and animals useful to human
- 22 beings produced by agriculture and includes, but is not limited
- 23 to, forages and sod crops, grains and feed crops, field crops,
- 24 dairy and dairy products, poultry and poultry products, cervidae,
- 25 livestock, including breeding and grazing, equine, fish, and
- 26 other aquacultural products, bees and bee products, berries,
- 27 herbs, fruits, vegetables, flowers, seeds, grasses, nursery

- 1 stock, mushrooms, fertilizer, livestock bedding, farming
- 2 equipment, and fuel for agricultural use. The term "agricultural
- 3 commodities" shall not include trees and lumber. This subsec-
- 4 tion does not apply after April 1, 2002.