REPRINT

SUBSTITUTE FOR

HOUSE BILL NO. 5337

(As passed the House, January 22, 2002)

A bill to amend 1949 PA 300, entitled "Michigan vehicle code,"

by amending section 722 (MCL 257.722), as amended by 2000 PA 6.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

- 1 Sec. 722. (1) The maximum axle load shall not exceed the
- 2 number of pounds designated in the following provisions that pre-
- 3 scribe the distance between axles:
- 4 (a) If the axle spacing is 9 feet or more between axles, the
- 5 maximum axle load shall not exceed 18,000 pounds for vehicles
- 6 equipped with high pressure pneumatic or balloon tires.
- 7 (b) If the axle spacing is less than 9 feet between 2 axles
- 8 but more than 3-1/2 feet, the maximum axle load shall not exceed
- 9 13,000 pounds for high pressure pneumatic or balloon tires.
- 10 (c) If the axles are spaced less than 3-1/2 feet apart, the
- 11 maximum axle load shall not exceed 9,000 pounds per axle.

H04844'01 * (H-2) R-1

- (d) Subdivisions (a), (b), and (c) shall be known as the
 normal loading maximum.
- 3 (2) When normal loading is in effect, the state transporta-
- 4 tion department, or a local authority with respect to highways
- 5 under its jurisdiction, may designate certain highways, or sec-
- 6 tions of those highways, where bridges and road surfaces are ade-
- 7 quate for heavier loading, and revise a designation as needed, on
- 8 which the maximum tandem axle assembly loading shall not exceed
- 9 16,000 pounds for any axle of the assembly, if there is no other
- 10 axle within 9 feet of any axle of the assembly.
- 11 (3) Except as provided in subsection (10), on ON a legal
- 12 combination of vehicles, only 1 tandem axle assembly shall be
- 13 permitted on the designated highways at the gross permissible
- 14 weight of 16,000 pounds per axle, if there is no other axle
- 15 within 9 feet of any axle of the assembly, and if no other tandem
- 16 axle assembly in the combination of vehicles exceeds a gross
- 17 weight of 13,000 pounds per axle. When the maximum gross weight
- 18 of a combination of vehicles with load does not exceed 73,280
- 19 pounds, 2 ON A COMBINATION OF TRUCK TRACTOR AND SEMITRAILER
- 20 HAVING NOT MORE THAN 5 AXLES, 2 CONSECUTIVE tandem axle assem-
- 21 blies shall be permitted on the designated highways at a gross
- 22 permissible weight of 16,000 pounds per axle, if there is no
- 23 other axle within 9 feet of any axle of the assembly.
- 24 (4) NOTWITHSTANDING SUBSECTION (3), ON A COMBINATION OF
- 25 TRUCK TRACTOR AND SEMITRAILER HAVING NOT MORE THAN 5 AXLES, 2
- 26 CONSECUTIVE SETS OF TANDEM AXLES MAY CARRY A GROSS PERMISSIBLE
- 27 WEIGHT OF NOT TO EXCEED 17,000 POUNDS ON ANY AXLE OF THE TANDEM

- 1 AXLES IF THERE IS NO OTHER AXLE WITHIN 9 FEET OF ANY AXLE OF THE
- 2 TANDEM AXLES AND IF THE FIRST AND LAST AXLES OF THE CONSECUTIVE
- 3 SETS OF TANDEM AXLES ARE NOT LESS THAN 36 FEET APART AND THE
- 4 GROSS VEHICLE WEIGHT DOES NOT EXCEED 80,000 POUNDS TO PICK UP AND
- 5 DELIVER AGRICULTURAL COMMODITIES BETWEEN THE NATIONAL TRUCK NET-
- 6 WORK OR SPECIAL DESIGNATED HIGHWAYS AND ANY OTHER HIGHWAY. THIS
- 7 SUBSECTION IS NOT SUBJECT TO THE MAXIMUM AXLE LOADS OF SUBSEC-
- 8 TIONS (1), (2), AND (3). FOR PURPOSES OF THIS SUBSECTION, A
- 9 "TANDEM AXLE" MEANS 2 AXLES SPACED MORE THAN 40 INCHES BUT NOT
- 10 MORE THAN 96 INCHES APART OR 2 AXLES SPACED MORE THAN 3-1/2 FEET
- 11 BUT LESS THAN 9 FEET APART. THIS SUBSECTION DOES NOT APPLY
- 12 DURING THAT PERIOD WHEN REDUCED MAXIMUM LOADS ARE IN EFFECT PUR-
- 13 SUANT TO SUBSECTION (7). THIS SUBSECTION DOES NOT APPLY AFTER
- 14 DECEMBER 31, 2006.
- 15 (5) -(4) The exception to the loading maximums and gross
- 16 vehicle weight requirements of subsection $\frac{10}{10}$ (11) under sub-
- **17** section $\frac{(6)}{(7)}$ (7) for a person hauling agricultural commodities
- 18 OR A PUBLIC UTILITY VEHICLE applies only if the person who picks
- 19 up or delivers the agricultural commodity either from a farm or
- 20 to a farm OR THE PUBLIC UTILITY notifies the county road commis-
- 21 sion for roads under its authority not less than 48 hours before
- 22 the pickup or delivery of the time and location of the pickup or
- 23 delivery. The county road commission shall issue a permit TO THE
- 24 PERSON OR THE PUBLIC UTILITY and charge a fee that does not
- 25 exceed the administrative costs incurred. to the person
- 26 containing THE PERMIT SHALL CONTAIN the following:

- 1 (a) The designated route or routes of travel for the load.
- 2 (b) The date and time period requested by the person who
- 3 picks up or delivers the agricultural commodities OR THE PUBLIC
- 4 UTILITY during which the load may be delivered or picked up.
- 5 (c) A maximum speed limit of travel, if necessary.
- (d) Any other specific conditions agreed to between theparties.
- 8 This subsection does not apply after April 1, 2002.
- 9 (6) $\frac{-(5)}{}$ The normal size of tires shall be the rated size
- 10 as published by the manufacturers, and the maximum wheel load
- 11 permissible for any wheel shall not exceed 700 pounds per inch of
- 12 width of tire.
- 13 (7) $\overline{(6)}$ Except as provided in this subsection and subsec-
- 14 tion $\frac{1}{1}$ (8), during the months of March, April, and May in
- 15 each year, the maximum axle load allowable on concrete pavements
- 16 or pavements with a concrete base shall be reduced by 25% from
- 17 the maximum axle load as specified in this chapter, and the maxi-
- 18 mum axle loads allowable on all other types of roads during these
- 19 months shall be reduced by 35% from the maximum axle loads as
- 20 specified. The maximum wheel load shall not exceed 525 pounds
- 21 per inch of tire width on concrete and concrete base or 450
- 22 pounds per inch of tire width on all other roads during the
- 23 period the seasonal road restrictions are in effect. Until
- 24 April 1, 2002, this THIS subsection does not apply to vehicles
- 25 transporting agricultural commodities OR PUBLIC UTILITY VEHICLES
- 26 on a highway, road, or street under the jurisdiction of a local
- 27 road agency.

House Bill No. 5337

16 to negotiate such agreements.

- 1 (8) -(7)— The state transportation department for roads
 2 under its jurisdiction and a county road commission for roads
 3 under its jurisdiction may grant exemptions from seasonal weight
 4 restrictions for milk on specified routes when requested in
 5 writing. Approval or denial of a request for an exemption shall
 6 be given by written notice to the applicant within 30 days after
 7 the date of submission of the application. If a request is
 8 denied, the written notice shall state the reason for denial and
 9 alternate routes for which the permit may be issued. The appli10 cant shall have the right to appeal to the state transportation
 11 commission or the county road commission. These exemptions shall
- 12 not apply on county roads in counties that have negotiated agree13 ments with milk haulers or haulers of other commodities during
 14 periods of seasonal load limits before April 14, 1993. This sub15 section does not limit the ability of these counties to continue
- 17 (9) (8) The state transportation department, or a local
 18 authority with respect to highways under its jurisdiction, may in
 19 its discretion suspend the restrictions imposed by this section
 20 when and where conditions of the highways or the public health,
 21 safety, and welfare warrant suspension, and impose the restricted
 22 loading requirements of this section on designated highways at
 23 any other time that the conditions of the highway require.
- (10) (9) For the purpose of enforcement of this act, the gross vehicle weight of a single vehicle and load or a combination of vehicles and loads, shall be determined by weighing individual axles or groups of axles, and the total weight on all

House Bill No. 5337

6

- 1 the axles shall be the gross vehicle weight. In addition, the
- 2 gross axle weight shall be determined by weighing individual
- 3 axles or by weighing a group of axles and dividing the gross
- 4 weight of the group of axles by the number of axles in the
- **5** group. Pursuant to subsection $\frac{(10)}{(11)}$ (11), the overall gross
- 6 weight on a group of 2 or more axles shall be determined by
- 7 weighing individual axles or several axles, and the total weight
- 8 of all the axles in the group shall be the overall gross weight
- 9 of the group.
- 10 (11) $\frac{(10)}{(10)}$ The loading maximum in this subsection applies
- 11 to interstate highways, and the state transportation department,
- 12 or a local authority with respect to highways under its jurisdic-
- 13 tion, may designate a highway, or a section of a highway, for the
- 14 operation of vehicles having a gross vehicle weight of not more
- 15 than 80,000 pounds that are subject to the following load
- 16 maximums:
- 17 (a) Twenty thousand pounds on any 1 axle, including all
- 18 enforcement tolerances.
- 19 (b) A tandem axle weight of 34,000 pounds, including all
- 20 enforcement tolerances.
- (c) An overall gross weight on a group of 2 or more consecu-
- 22 tive axles equaling:

23

- 24 $W = 500 / \frac{LN}{N-1} + 12N + 36 /$
- 26 where W = overall gross weight on a group of 2 or more consecu-
- 27 tive axles to the nearest 500 pounds, L = distance in feet
- 28 between the extreme of a group of 2 or more consecutive axles,

House Bill No. 5337 7

- 1 and N = number of axles in the group under consideration; except
- 2 that 2 consecutive sets of tandem axles may carry a gross load of
- 3 34,000 pounds each if the first and last axles of the consecutive
- 4 sets of tandem axles are not less than 36 feet apart. The gross
- 5 vehicle weight shall not exceed 80,000 pounds including all
- 6 enforcement tolerances. Except for 5 axle truck tractor, semi-
- 7 trailer combinations having 2 consecutive sets of tandem axles,
- 8 vehicles having a gross weight in excess of 80,000 pounds or in
- 9 excess of the vehicle gross weight determined by application of
- 10 the formula in this subsection shall be subject to the maximum
- 11 axle loads of subsections (1), (2), and (3). As used in this
- 12 subsection, "tandem axle weight" means the total weight transmit-
- 13 ted to the road by 2 or more consecutive axles, the centers of
- 14 which may be included between parallel transverse vertical planes
- 15 spaced more than 40 inches but not more than 96 inches apart,
- 16 extending across the full width of the vehicle. Except as other-
- 17 wise provided in this section, vehicles transporting agricultural
- 18 commodities shall have weight load maximums as defined in this
- 19 subsection.
- 20 (12) $\frac{(11)}{}$ As used in this section, "agricultural
- 21 commodities" means those plants and animals useful to human
- 22 beings produced by agriculture and includes, but is not limited
- 23 to, forages and sod crops, grains and feed crops, field crops,
- 24 dairy and dairy products, poultry and poultry products, cervidae,
- 25 livestock, including breeding and grazing, equine, fish, and
- 26 other aquacultural products, bees and bee products, berries,
- 27 herbs, fruits, vegetables, flowers, seeds, grasses, nursery

- 1 stock, mushrooms, fertilizer, livestock bedding, farming
- 2 equipment, and fuel for agricultural use. The term "agricultural
- 3 commodities" shall not include trees and lumber. This subsec-
- 4 tion does not apply after April 1, 2002.