SENATE SUBSTITUTE FOR HOUSE BILL NO. 5494

A bill to amend 1990 PA 187, entitled
"The pupil transportation act,"
by amending the title and sections 5, 7, 9, 10, 10a, 11, 21, 23,
25, 27, 29, 31, 33, and 39 (MCL 257.1805, 257.1807, 257.1809,
257.1810, 257.1810a, 257.1811, 257.1821, 257.1823, 257.1825,
257.1827, 257.1829, 257.1831, 257.1833, and 257.1839), sections
5, 7, 10, and 10a as amended by 2000 PA 49, section 23 as amended by 1990 PA 322, and section 33 as amended by 2001 PA 130; and to repeal acts and parts of acts.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

- 1 TITLE
- 2 An act to regulate the equipment, maintenance, operation,
- 3 and use of school buses; -and pupil transportation vehicles; to

- 1 prescribe the qualifications of school bus -and pupil
- 2 transportation vehicle drivers; to prescribe the powers and
- 3 duties of certain state and local governmental agencies; to
- 4 create an advisory committee and to prescribe its powers and
- 5 duties; and to prescribe remedies and penalties.
- 6 Sec. 5. (1) "Modified school bus" means a school bus of any
- 7 age with a factory installed fuel system that has been modified
- 8 to operate on a fuel source other than gasoline or diesel fuel.
- 9 (1) -(2) "Motor bus" and "motor carrier of passengers" mean
- 10 those terms as defined in section 3 of the motor bus
- 11 transportation act, 1982 PA 432, MCL 474.103.
- 12 (2) —(3)— "Nonpublic school" means —a private school, a
- 13 denominational school, or a parochial school as defined by law
- 14 THAT TERM AS DEFINED IN SECTION 5 OF THE REVISED SCHOOL CODE,
- 15 1976 PA 451, MCL 380.5.
- 16 (3) -(4) "Public school" means -a local school district, a
- 17 local act school district, a public school academy, a university
- 18 school, or an intermediate school district as defined by law
- 19 THAT TERM AS DEFINED IN SECTION 5 OF THE REVISED SCHOOL CODE,
- 20 1976 PA 451, MCL 380.5.
- 21 (5) "Pupil transportation vehicle" means any vehicle other
- 22 than a school bus with a manufacturer's rated seating capacity of
- 23 11 or more passengers, including the driver, that is used to
- 24 transport pupils to or from school or school-related events.
- 25 Pupil transportation vehicle does not include a vehicle operated
- 26 by a motor carrier of passengers or a public transit agency, or a
- 27 vehicle used by a parent or a parent's designee to transport his

- 1 or her children to or from school or school related events.
- 2 (6) "Rehabilitated school bus" means a bus that is at least
- 3 4 years old and has accumulated at least 100,000 miles, or is 7
- 4 years old; and that has been thoroughly inspected and had all
- 5 systems repaired, replaced, or adjusted to meet the department of
- 6 state police inspection requirements including but not limited
- 7 to:
- 8 (a) Engine overhaul of short block.
- 9 (b) New tires on the front axle.
- 10 (c) New recap tires on the rear axle.
- 11 (d) New brake linings and drums.
- 12 (e) New hydraulic brake lines.
- 14 (g) New paint in the interior.
- 15 (h) New exhaust system.
- 16 (4) -(7) "Rule" means a rule promulgated pursuant to the
- 17 administrative procedures act of 1969, 1969 PA 306, MCL 24.201 to
- **18** 24.328.
- 19 (5) -(8) "School" means either a public school or a
- 20 nonpublic school, or both.
- Sec. 7. (1) "School bus" means a motor vehicle -, other than
- 22 a pupil transportation vehicle, with a manufacturer's rated
- 23 seating capacity of 11 or more passengers, including the driver,
- 24 used for the transportation of PREPRIMARY, PRIMARY, OR SECONDARY
- 25 SCHOOL pupils to or from school or school-related events that is
- 26 owned by a school or is used to transport pupils under a contract
- 27 or agreement with a school OR A MULTIFUNCTION SCHOOL ACTIVITY

- 1 BUS MANUFACTURED AFTER SEPTEMBER 2, 2003 AS DEFINED IN 49 CFR
- 2 571.3, 49 CFR 571.108, AND 49 CFR 571.131. School bus does not
- 3 include a vehicle operated by a public transit agency or
- 4 authority. or by a motor carrier certified by the state
- 5 transportation department unless the vehicle is used exclusively
- 6 to transport pupils or is used to transport pupils along a route
- 7 designed to serve 1 or more schools in a school district if
- 8 elementary school pupils along the route are required to cross
- 9 the highway or roadway, as described in section 55. A VEHICLE
- 10 THAT IS NOT A SCHOOL BUS IS NOT SUBJECT TO THIS ACT. For the
- 11 purposes of this act, a parent, -parent's designee, or LEGAL
- 12 guardian transporting his or her child or another child with
- 13 written permission of the other child's parent or LEGAL guardian
- 14 on a school-related event -, if not compensated by the school,
- 15 shall not be considered an agent of the school IS NOT SUBJECT TO
- 16 THIS ACT.
- 17 (2) "School transportation vehicle" means any motor vehicle
- 18 with a manufacturer's rated seating capacity of 10 passengers or
- 19 less, including the driver, when operated for the scheduled
- 20 transportation of pupils to or from school or school related
- 21 events. School transportation vehicle does not include a vehicle
- 22 used by a parent or parent's designee to transport children to or
- 23 from school or school-related events.
- 24 (2) -(3) "Type I school bus" means a school bus with a
- 25 gross vehicle weight rating of more than 10,000 pounds.
- 26 (3) -(4) "Type II school bus" means a school bus with a
- 27 gross vehicle rating of 10,000 pounds or less.

- 1 (5) "Type I premium school bus" means a school bus with a
- 2 passenger capacity of over 66 pupils and any other school bus
- 3 purchased by a district at a cost for the vehicle, excluding
- 4 interest and special equipment, which exceeds by more than 15%
- 5 the average cost of a school bus meeting state minimum
- 6 specifications of the same capacity purchased during the same
- 7 year.
- 8 Sec. 9. The state board of education shall regulate pupil
- 9 transportation. The state board or its authorized representative
- 10 may review, confirm, set aside, or amend the action, order, or
- 11 decision of a school with reference to the routes over which
- 12 pupils shall be transported, and the suitability and number of
- 13 the vehicles and equipment for the transportation of the pupils.
- 14 The state board Superintendent of public instruction shall
- 15 promulgate rules as necessary to implement this act except that
- 16 the department of state police, in cooperation with the -state
- 17 board superintendent of public instruction, shall may
- 18 promulgate rules -for safety specifications and operational
- 19 procedures for school buses and pupil transportation vehicles
- 20 RELATED TO VEHICLE AND EQUIPMENT STANDARDS.
- 21 Sec. 10. (1) Each -motor vehicle SCHOOL BUS owned or
- 22 operated by a public or private nonpublic school, an agent of a
- 23 school, a private business, or a unit of government for the
- 24 transportation of pupils to or from school or school-related
- 25 events shall meet or exceed the federal motor vehicle safety
- 26 standards applicable to the construction and sale of that
- 27 vehicle SCHOOL BUS and for all seating positions in that

- 1 vehicle. A school or an agent of a school may transport pupils
- 2 with disabilities in mobile seating devices in accordance with
- 3 federal standards specifically applicable to such pupils, their
- 4 wheelchairs, and related wheelchair securement and occupant
- 5 protection systems.
- 6 (2) A vehicle, other than a school bus, with a
- 7 manufacturer's rated seating capacity of 11 or more passengers,
- 8 including the driver, shall not be used to transport pupils to or
- 9 from school or school-related events. after October 1, 2002,
- 10 except as provided in this act. THIS SUBSECTION DOES NOT APPLY
- 11 TO MOTOR BUSES THAT ARE DESCRIBED IN SECTION 10A.
- 12 (3) A school shall not purchase a vehicle to transport
- 13 pupils to or from school or school-related events having a
- 14 manufacturer's rated seating capacity of 11 or more passengers,
- 15 including the driver, that does not meet or exceed the passenger
- 16 protection federal motor vehicle safety standards applicable to
- 17 that vehicle. A school shall not purchase a vehicle to be used to
- 18 transport passengers to or from school or school related events
- 19 for which there are no applicable passenger protection federal
- 20 motor vehicle safety standards. This subsection applies to
- 21 vehicles, other than school buses, purchased on or after October
- 22 1, 1993.
- 23 (4) Vehicles used by parents or a parent's designee to
- 24 transport their children to and from school and school-related
- 25 events under contract with the school are exempt from the
- 26 requirements of this section.
- 27 (5) Subsection (2) does not apply to a commercial motor

- 1 vehicle operated by a carrier certificated by the state
- 2 transportation department, or a bus operated by a public transit
- 3 agency or authority excluded from the definition of school bus as
- 4 described in section 7(1).
- 5 Sec. 10a. (1) A school may contract with a licensed motor
- 6 carrier of passengers for a motor bus to be used for occasional
- 7 transportation of pupils to or from school-related events. A
- 8 SCHOOL SHALL NOT DIRECTLY OPERATE A MOTOR BUS FOR THE USE OF
- 9 PUPIL TRANSPORTATION TO AND FROM SCHOOL OR SCHOOL-RELATED EVENTS.
- 10 A MOTOR CARRIER CERTIFIED BY THE STATE TRANSPORTATION DEPARTMENT
- 11 SHALL NOT USE A MOTOR BUS TO TRANSPORT PUPILS TO AND FROM SCHOOL.
- 12 (2) The BEFORE THE EFFECTIVE DATE OF THE AMENDATORY ACT
- 13 THAT AMENDED THIS SECTION, THE department of education may
- 14 authorize the use of a motor bus for the regular route
- 15 transportation of pupils to or from school or home. The
- 16 authorization shall be in writing and shall include conditions or
- 17 restrictions that are necessary to safeguard the health, safety,
- 18 and welfare of the pupils. ANY AUTHORIZATION THAT IS ENTERED INTO
- 19 BEFORE THE EFFECTIVE DATE OF THE AMENDATORY ACT THAT AMENDED THIS
- 20 SUBSECTION SHALL REMAIN IN EFFECT FOR THE TIME IT IS AUTHORIZED.
- 21 (3) A MOTOR BUS BUILT TO SCHOOL BUS SPECIFICATIONS THAT
- 22 COMPLIES WITH THE APPLICABLE FEDERAL MOTOR VEHICLE SAFETY
- 23 STANDARDS SHALL COMPLY WITH THE REQUIREMENTS OF THIS ACT.
- Sec. 11. (1) This section and sections 13 to 21 apply to
- 25 both type I and type II school buses except where specifically
- 26 provided otherwise.
- 27 (2) A type I school bus shall have an outside body width of

- 1 not more than -96 102 inches; an outside overall length of not
- 2 more than -40 45 feet; and an inside height of not less than 72
- 3 inches, aisle floor surface to ceiling. A type II school bus
- 4 shall have an outside body width of not more than -96 102 inches
- 5 and an inside height of not less than 60 inches, aisle floor
- 6 surface to ceiling.
- 7 (3) A bus shall be attached firmly to the chassis. A spacer
- 8 shall be inserted between the body and the frame at every point
- 9 of contact so that shearing stresses are not put on rivet heads.
- 10 (4) A bus floor shall be of metal at least equal in strength
- 11 to 14-gauge steel and so constructed and maintained that exhaust
- 12 gases cannot enter the bus. The floor, including wheelhousing,
- 13 AISLE, AND STEPWELL, shall be covered and maintained with $\frac{-1/8}{}$
- 14 inch smooth rubber or an equivalent as determined by the
- 15 department of state police. The aisles shall be covered and
- 16 maintained with 3/16-inch ribbed rubber or an equivalent as
- 17 determined by the department of state police. The rib-aisle shall
- 18 continue to the stepwell. Metal longitudinal strips shall be
- 19 applied to the aisle seams. A SLIP-RESISTANT SURFACE. Floors
- 20 shall be coved to the walls. All closures between the body and
- 21 the engine compartment shall be fitted with gaskets which
- 22 effectively prevent gas from entering the body. The bus body
- 23 floor, cross members, and skirts shall be completely undercoated.
- 24 A transmission inspection plate, if any, need not be rubber-
- 25 covered HAVE A SLIP-RESISTANT SURFACE but shall be firmly
- 26 attached. Plywood floors are optional.
- 27 (5) Sedan-type doors shall not be used on type I school

- 1 buses. When a jackknife-type service door is used, it shall fold
- 2 forward toward the front of the bus. If a split-type service door
- 3 is used, it shall open outward. Sedan-type doors may be used on
- 4 service entrances of type II buses. The steps of a service door
- 5 entrance shall be covered with 3/16-inch molded ribbed rubber or
- 6 other nonslip surface.
- 7 (6) An emergency exit shall be provided as follows:
- 8 (a) Type I school bus: the upper and lower portion of the
- 9 central rear emergency door shall be equipped with approved
- 10 safety glass. The door shall be hinged on the right side and the
- 11 door handle located on the extreme left. Piano hinges shall not
- 12 be used. The handle shall be in the vertical position when
- 13 latched. A locking device of any kind shall not be attached to,
- 14 or made a part of, the emergency door unless the locking device
- 15 meets all of the following criteria:
- 16 (i) The device is integrated into the ignition system.
- 17 (ii) The device is tamper resistant.
- 18 (iii) The device has an audible alarm system.
- 19 (iv) The device has an audible alarm near the driver's seat
- 20 that will sound when the door is locked and the ignition is on.
- 21 (v) The device is approved by the department of state
- 22 police.
- 23 (b) Type II school bus: subdivision (a) applies to type II
- 24 buses except that body gauge metal may be substituted for safety
- 25 glass in the lower portion of the rear emergency door, and
- 26 double rear emergency doors may be used. A double rear emergency
- 27 door shall have a 3-point latch.

- 1 (7) A bus body shall be lined with fiberglass or a
- 2 comparable nonsettling, nonabsorbent insulation.
- 3 (8) Book racks shall not be installed in a school bus.
- 4 (9) The electrical system shall be 12 volt D.C. provided
- 5 through an alternator with a minimum of 100 amp rating and a
- 6 minimum battery storage capacity of 500 CCA with gasoline engine,
- 7 or 900 CCA with diesel engine provided through 1 12-volt battery,
- 8 2 12-volt batteries, or 2 6-volt batteries. There shall not be an
- 9 opening through the floor of the bus to service the battery.
- 10 (10) ALL BAGGAGE, ARTICLES, EQUIPMENT, OR MEDICAL SUPPLIES
- 11 NOT HELD BY INDIVIDUAL PASSENGERS SHALL BE SECURED IN A MANNER
- 12 WHICH ASSURES UNRESTRICTED ACCESS TO ALL EXITS BY ALL OCCUPANTS,
- 13 DOES NOT RESTRICT THE DRIVER'S ABILITY TO OPERATE THE BUS, AND
- 14 PROTECTS ALL OCCUPANTS AGAINST INJURY RESULTING FROM FALLING OR
- 15 DISPLACEMENT OF ANY BAGGAGE, ARTICLE, OR EQUIPMENT. OXYGEN
- 16 CYLINDERS SECURED TO A WHEELCHAIR SHALL BE CONSIDERED TO BE IN
- 17 COMPLIANCE WITH THIS SUBSECTION, PROVIDED THEY DO NOT IMPEDE
- 18 ACCESS TO ANY EXIT.
- 19 (11) RADIO SPEAKERS SHALL BE NO CLOSER TO THE DRIVER THAN 3
- 20 SEAT POSITIONS BEHIND THE DRIVER. THIS SUBSECTION DOES NOT APPLY
- 21 TO RADIO SPEAKERS FOR 2-WAY COMMUNICATION DEVICES.
- 22 Sec. 21. (1) A school bus shall be equipped with 2
- 23 windshield wipers and 2 windshield washers. A washer reservoir
- 24 shall be 70 ounces or more.
- 25 (2) A windshield shall be slanted to prevent glare and large
- 26 enough to permit the driver to see the road clearly.
- 27 (3) All glass shall be safety glass and shall comply with

- 1 the requirements of section 27, where applicable. A SCHOOL BUS
- 2 SHALL BE EQUIPPED WITH WINDSHIELD WIPERS, WASHERS, A WASHER
- 3 RESERVOIR, AND A WINDSHIELD THAT MEETS THE REQUIREMENTS OF 49 CFR
- 4 571.103 AND 571.104.
- 5 Sec. 23. (1) A school bus -or pupil transportation vehicle
- 6 shall be equipped in a manner that the driver, in a normal seated
- 7 position, either by direct vision or by use of an indirect vision
- 8 mirror system, shall be able to observe objects on the roadway in
- 9 front of and beside the vehicle located inside a continuously
- 11 of the vehicle plus not less than 18 feet in front of the vehicle
- 12 and a width defined as the width of the vehicle plus not less
- 13 than 2 feet on either side of the vehicle. A mirror used to
- 14 comply with this subsection shall be at least 7-1/2 inches in
- 15 diameter and convex in shape. THE SCHOOL BUS SHALL COMPLY WITH
- 16 THE VISIBILITY AND EQUIPMENT REQUIREMENTS OF 49 CFR 571.111.
- 17 (2) The interior mirror shall be clear view, safety glass
- 18 with a reflective surface -of 6 inches in height by 30 inches in
- 19 width for type I school buses, and shall be metal-backed and
- 20 framed THAT PROVIDES A CLEAR AND REASONABLY UNOBSTRUCTED VIEW TO
- 21 THE REAR OF THE VEHICLE AND COMPLIES WITH 49 CFR 571.111. It
- 22 shall have rounded corners and padded edges. Interior mirrors
- 23 for type II school buses shall have a reflective surface of 6
- 24 inches in height by 15 inches in width and shall be protected by
- 25 framing and padding as for type I school buses. The interior
- 26 mirror for a pupil transportation vehicle shall be as provided by
- 27 the manufacturer and approved by the department of state police.

```
1
         (3) Sun shades, if installed, shall be mounted so that the
   mounting brackets are not likely to cause injury in the event of
 2
 3
   an accident.
        (4) This section does not apply to a pupil transportation
   vehicle other than a passenger van that is used as a pupil
 5
   transportation vehicle.
 6
         Sec. 25. (1) A school bus shall be equipped with at least 1,
 7
   2A-10BC dry chemical fire extinguisher, or its equivalent, that
 8
   is approved by the department of state police and that has an
 9
   aluminum, brass, or bronze valve. The extinguisher shall be
10
   mounted securely in an accessible place in the driver's
11
12
   compartment and shall be in satisfactory operating condition at
   all times.
13
         (2) A school bus -or pupil transportation vehicle shall be
14
15
   equipped with a first aid kit which shall be firmly mounted with
   a quick release bracket in an accessible location in the driver's
16
   compartment and which shall contain, at a minimum, all of the
17
18
   following:
19
        (a) Bandage compress (sterile gauze
   pads), 4-inch .....
20
                                               2 packages.
21
        (b) Bandage compress (sterile gauze
22
   pads, 2-inch .....
                                               2 packages.
23
        (c) Adhesive compress, 1-inch ......
                                               2 packages.
        (d) Triangular bandage with 2 safety
24
   pins, 40-inch .....
25
                                               1 package.
```

(e) Roll gauze

(f) Elastic bandage, 3-inch

12

26

27

1 package.

1 package.

- 1 Antiseptics and burn ointments shall not be included, except
- 2 as required by the state transportation department.
- 3 (3) A school bus -or a pupil transportation vehicle shall
- 4 be equipped with 3 bidirectional emergency reflective triangles
- 5 which are properly cased and securely mounted and 3 red-burning
- 6 fusees which are capable of burning not less than 15 minutes and
- 7 which are properly cased and securely mounted in the driver's
- 8 compartment. Fusees and reflectors shall comply with the
- 9 standards set forth in this act and the rules promulgated
- 10 pursuant to this act.
- 11 Sec. 27. (1) A school bus -or pupil transportation vehicle
- 12 shall be equipped with safety glass wherever glass is used in
- 13 doors, windows, and windshields. Rigid safety plastic which meets
- 14 the test requirements of American national standards institute
- 15 standard Z26.1-1966 may be used on school buses in lieu of safety
- 16 glass, except that front windshields shall be equipped with
- 17 safety glass. School buses shall be fitted with at least 1 push-
- 18 out window sash on each side of any school bus on which the
- 19 plastic panes are installed.
- 20 (2) As used in this section, "safety glass" means a product
- 21 composed of glass, so manufactured, fabricated, or treated as
- 22 substantially to prevent shattering and flying of the glass when
- 23 struck or broken.
- 24 Sec. 29. Any part of a gasoline **FUEL** tank or container or
- 25 intake pipe shall not be located within or above the passenger-
- 26 carrying portion of a school bus unless securely sealed off from
- 27 that portion by means of a substantial metal cover. Fuel lines

- 1 shall not extend above the frame rails. The gasoline container,
- 2 including intake pipe, cap and vent on a school bus manufactured
- 3 subsequent to December 31, 1964, shall be so designed that, in
- 4 the event of overturn, the -gasoline FUEL will not be spilled at
- 5 a rate in excess of 1 ounce per minute.
- 6 Sec. 31. A school bus may be equipped with a flashing,
- 7 oscillating, or rotating light mounted on the roof of the bus
- 8 approximately 6 feet from the rear of the vehicle which displays
- 9 a white light to the front, side, and rear of the bus. -which IF
- 10 A SCHOOL BUS IS EQUIPPED WITH SUCH A LIGHT, THERE IS NO
- 11 REQUIREMENT THAT A DRIVER USE IT. THE light -may SHALL NOT be
- 12 actuated by the driver for use only in inclement UNLESS 1 OR
- 13 MORE OF THE FOLLOWING CONDITIONS EXIST:
- 14 (A) INCLEMENT weather such as fog, rain, or snow. —, when
- 15 boarding or discharging
- 16 (B) WHEN passengers —, from ARE BOARDING OR BEING
- 17 DISCHARGED.
- 18 (C) FROM 1/2 hour —before— AFTER sunset until 1/2 hour
- 19 after BEFORE sunrise. -, or where
- 20 (D) WHERE conditions hinder the visibility of the school
- 21 bus.
- Sec. 33. (1) A school bus shall be painted as follows:
- 23 (a) The body, cowl, hood, and fenders shall be national
- 24 school bus chrome yellow.
- 25 (b) The bumper, body trim, wheels, and lettering shall be
- 26 black. The wheel rims shall be gray, black, WHITE, or natural, as
- 27 provided by the manufacturer.

- 1 (c) The wheel covers, if painted, shall be black.
- 2 (d) The grill, if not chrome, shall be national school bus
- 3 chrome yellow.
- 4 (e) The mirrors, if painted, shall be black or yellow.
- 5 (f) The name of the school district OR CONTRACTOR shall be
- 6 painted PERMANENTLY AFFIXED in black LETTERS THAT ARE AT LEAST 6
- 7 INCHES HIGH on the back, front, and sides of the bus. THE NAME
- 8 OF THE SCHOOL DISTRICT OR CONTRACTOR SHALL BE PERMANENTLY AFFIXED
- 9 ON THE FRONT AND BACK OF THE BUS IN BLACK LETTERS.
- 10 (G) THE WORDS "SCHOOL BUS" SHALL BE PERMANENTLY AFFIXED ON
- 11 THE FRONT AND BACK OF THE BUS BETWEEN THE OVERHEAD FLASHERS IN
- 12 BLACK LETTERS THAT ARE AT LEAST 8 INCHES IN HEIGHT.
- 13 (H) THE OUTSIDE OF A SCHOOL BUS SHALL NOT HAVE ANY OTHER
- 14 LETTERING, SYMBOL, MARKING, OR ADVERTISING, EXCEPT THAT ANIMAL
- 15 PICTURES, CARTOON FIGURES, AND SIMILAR INSIGNIA MAY BE AFFIXED TO
- 16 THE BUS IN A TEMPORARY MANNER NEAR THE ENTRANCE DOOR, BUT NOT
- 17 CLOSER THAN THE SECOND WINDOW, TO ASSIST IN IDENTIFYING THE BUS
- 18 ROUTE. A UNIQUE IDENTIFICATION NUMBER MAY BE PERMANENTLY AFFIXED
- 19 ON THE UPPER CORNERS OF THE BACK, FRONT, OR SIDES OF THE BUS. A
- 20 CONTRACTOR SHALL DISPLAY A USDOT NUMBER WHEN REQUIRED AND IN THE
- 21 MANNER REQUIRED BY 49 CFR PARTS 390 TO 399.
- 22 (I) WORDING FOR SCHOOL BUS ROOF AND DOOR EMERGENCY EXITS,
- 23 FOR INSIDE AND OUTSIDE THE BUS, SHALL COMPLY WITH THE MOTOR
- 24 VEHICLE SAFETY STANDARDS FOUND IN 49 CFR 571.217.
- 25 (J) THE ROOF OF A SCHOOL BUS MAY BE WHITE OR YELLOW.
- 26 HOWEVER, NO PART OF A SCHOOL BUS MAY BE WHITE BELOW THE DRIP RAIL
- 27 ABOVE THE SIDE WINDOWS.

- 1 (2) Except for a bus leased seasonally to transport
- 2 agricultural workers to and from a field for agricultural
- 3 operations, a bus, other than a school bus, shall not be painted,
- 4 in whole or in part, in the colors and design specified in
- 5 subsection (1).
- 6 (3) SUBSECTION (1) DOES NOT APPLY TO MULTIFUNCTION SCHOOL
- 7 ACTIVITY BUSES.
- 8 (4) THIS SECTION DOES NOT APPLY TO A MOTOR CARRIER CERTIFIED
- 9 BY THE STATE TRANSPORTATION DEPARTMENT USING A MOTOR BUS FOR
- 10 SCHOOL-RELATED EVENT TRANSPORTATION.
- 11 Sec. 39. (1) The department of state police shall inspect
- 12 each school bus -and pupil transportation vehicle annually, and
- 13 more frequently at a school AS THE DEPARTMENT OF STATE POLICE
- 14 DETERMINES NECESSARY where school bus -or pupil transportation
- 15 vehicle defects have been found, to determine if the school bus
- 16 or pupil transportation vehicle meets the requirements of this
- 17 act and the rules promulgated pursuant to this act. The
- 18 department of state police may delegate the inspection of school
- 19 buses to publicly employed inspectors if the inspection complies
- 20 with this section.
- 21 (2) Inspection of a school bus -or pupil transportation
- 22 vehicle may be accomplished at any time, at any location, on or
- 23 off a school site, and as frequently as the department of state
- 24 police considers necessary to secure passenger safety. A school
- 25 bus -or pupil transportation vehicle may be rejected by the
- 26 inspecting state police official for further use in
- 27 transportation of passengers if it does not meet the requirements

- 1 of this act and the rules promulgated pursuant to this act.
- 2 However, if a school bus -or pupil transportation vehicle- is
- 3 determined to be safe for operation even though in unsatisfactory
- 4 condition, the official may determine that not more than 60 days
- 5 shall be allowed to effect a specific repair.
- 6 (3) A person, having control over the operation of a school
- 7 bus or pupil transportation vehicle SCHOOL, OR SCHOOL BUS OWNER
- 8 shall not operate or permit to be operated a school bus -or pupil
- 9 transportation vehicle which has not been inspected under this
- 10 section.
- 11 (4) A modified school bus which uses liquefied petroleum gas
- 12 shall not be used to transport pupils unless the installation of
- 13 the fuel system has been inspected and approved as safe by the
- 14 department of state police.
- 15 (4) ANY PUBLIC OR PRIVATE ENTITY THAT OWNS OR USES A SCHOOL
- 16 BUS FOR PUPIL TRANSPORTATION SHALL IDENTIFY ITSELF TO THE
- 17 DEPARTMENT OF STATE POLICE SO AN INSPECTION CAN BE SCHEDULED. IF
- 18 AN ENTITY HAS HAD SCHOOL BUSES INSPECTED IN THE PREVIOUS YEAR, IT
- 19 IS CONSIDERED TO HAVE IDENTIFIED ITSELF. IF AN ENTITY STOPS PUPIL
- 20 TRANSPORTATION IN 1 YEAR AND RESTARTS PUPIL TRANSPORTATION IN A
- 21 LATER YEAR, IT MUST IDENTIFY ITSELF TO THE DEPARTMENT OF STATE
- 22 POLICE AS REQUIRING INSPECTION BEFORE RESTARTING PUPIL
- 23 TRANSPORTATION. AN ENTITY IS CONSIDERED TO HAVE IDENTIFIED ITSELF
- 24 BY NOTIFYING A PERSON OF THE DEPARTMENT OF STATE POLICE
- 25 RESPONSIBLE FOR CONDUCTING INSPECTIONS UNDER THIS ACT.
- 26 (5) WHEN AN INSPECTION IS SCHEDULED BY THE DEPARTMENT OF
- 27 STATE POLICE, AN ENTITY SHALL IDENTIFY TO THE STATE POLICE

- 1 INSPECTOR ALL OF THE SCHOOL BUSES THAT IT INTENDS TO USE FOR
- 2 PUPIL TRANSPORTATION IN THAT SCHOOL YEAR. ANY SCHOOL BUS THAT IS
- 3 NOT SUBMITTED FOR INSPECTION SHALL BE REJECTED AND HAVE A RED
- 4 STICKER AFFIXED PURSUANT TO SECTION 41.
- 5 (6) THE DEPARTMENT OF STATE POLICE MAY PROHIBIT THE
- 6 PLACEMENT AND USE OF ANY DEVICE OR EQUIPMENT ON A SCHOOL BUS THAT
- 7 PRESENTS A SAFETY HAZARD TO THE PUPILS, DRIVER, OR MOTORISTS
- 8 DURING THE LOADING, UNLOADING, OR TRANSPORTATION OF PUPILS.
- 9 (7) A SCHOOL, BEFORE ESTABLISHING A CONTRACT WITH A COMPANY
- 10 FOR SCHOOL BUS SERVICES, SHALL REQUIRE THE COMPANY TO VERIFY IN
- 11 WRITING THAT THE BUSES USED BY THE CONTRACTOR HAVE BEEN INSPECTED
- 12 BY THE DEPARTMENT OF STATE POLICE AND HAVE PASSED THAT
- 13 INSPECTION. THE SCHOOL SHALL SPECIFY IN A WRITTEN CONTRACT THAT
- 14 THE CONTRACTOR WILL NOT USE ANY SCHOOL BUSES THAT HAVE NOT BEEN
- 15 INSPECTED OR HAVE FAILED INSPECTION, AND THAT A VIOLATION OF THIS
- 16 PROVISION OF THE CONTRACT WILL RESULT IN REVOCATION OF THE
- 17 CONTRACT. THE CONTRACT SHALL SPECIFY THAT THE CONTRACTOR SHALL
- 18 SUBMIT, IN WRITING, THE INSPECTION RESULTS OF ITS ENTIRE FLEET OF
- 19 BUSES TO THE SCHOOL WITHIN 30 DAYS OF THE COMPLETION OF THE
- 20 DEPARTMENT OF STATE POLICE INSPECTION. A SCHOOL SHALL IDENTIFY TO
- 21 THE DEPARTMENT OF STATE POLICE ALL OF THE CONTRACTORS THE SCHOOL
- 22 IS USING UPON REQUEST.
- 23 Enacting section 1. Sections 35, 37, 52, and 63 of the pupil
- 24 transportation act, 1990 PA 187, MCL 257.1835, 257.1837,
- 25 257.1852, and 257.1863, are repealed.
- 26 Enacting section 2. This amendatory act does not take effect
- 27 unless Senate Bill No. 932 of the 93rd Legislature is enacted

House Bill No. 5494 as amended March 2, 2006