

HOUSE SUBSTITUTE FOR
SENATE BILL NO. 531

A bill to amend 1994 PA 451, entitled
"Natural resources and environmental protection act,"
by amending sections 21302 and 21303 (MCL 324.21302 and 324.21303),
section 21302 as amended by 1995 PA 22 and section 21303 as amended
by 1996 PA 116.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

1 Sec. 21302. As used in this part:

2 (A) "AIR" MEANS AMBIENT OR INDOOR AIR AT THE POINT OF
3 EXPOSURE.

4 (B) "ALL APPROPRIATE INQUIRY" MEANS AN EVALUATION OF
5 ENVIRONMENTAL CONDITIONS AT A PROPERTY AT THE TIME OF PURCHASE,
6 OCCUPANCY, OR FORECLOSURE THAT REASONABLY DEFINES THE EXISTING
7 CONDITIONS AND CIRCUMSTANCES AT THE PROPERTY IN CONFORMANCE WITH 40
8 CFR 312.

9 (C) "BASELINE ENVIRONMENTAL ASSESSMENT" MEANS A WRITTEN

Senate Bill No. 531 (H-1) as amended April 17, 2012

DOCUMENT THAT DESCRIBES THE RESULTS OF AN ALL APPROPRIATE INQUIRY
AND THE SAMPLING AND ANALYSIS THAT CONFIRM THAT THE PROPERTY IS A
SITE. HOWEVER, FOR PURPOSES OF A BASELINE ENVIRONMENTAL ASSESSMENT,
THE ALL APPROPRIATE INQUIRY UNDER 40 CFR 312.20(A) MAY BE CONDUCTED
WITHIN 45 DAYS AFTER THE DATE OF ACQUISITION OF A PROPERTY AND THE
COMPONENTS OF AN ALL APPROPRIATE INQUIRY UNDER 40 CFR 312.20(B) AND
40 CFR 312.20(C)(3) MAY BE CONDUCTED OR UPDATED WITHIN 45 DAYS
AFTER THE DATE OF ACQUISITION OF A PROPERTY.

(D) ~~(a)~~ "Biota" means the plant and animal life in an area
affected by a corrective action plan.

(E) "CAPILLARY FRINGE" MEANS THE PORTION OF THE AQUIFER ABOVE
AN UNCONFINED SATURATED ZONE IN WHICH GROUNDWATER IS DRAWN UPWARD
BY CAPILLARY FORCE AND CAN INCLUDE THE PRESENCE OF LNAPL.

(F) ~~(b)~~ "Consultant" means a person ~~on the list of qualified~~
~~underground storage tank consultants prepared pursuant to section~~
~~21542.~~ THAT MEETS THE REQUIREMENTS SET FORTH IN SECTION 21325.

(G) ~~(c)~~ "Contamination" means the presence of a regulated
substance in soil, SURFACE WATER, or groundwater OR AIR THAT HAS
BEEN RELEASED FROM AN UNDERGROUND STORAGE TANK SYSTEM AT A
CONCENTRATION EXCEEDING THE LEVEL SET FORTH IN THE RCBA TIER I
SCREENING LEVELS ESTABLISHED UNDER SECTION 20120A(1)(A) AND (B).

(H) ~~(d)~~ "Corrective action" means the investigation,
assessment, cleanup, removal, containment, isolation, treatment, or
monitoring of regulated substances released into the environment ~~or~~
~~or the taking of such other actions as may be necessary~~ FROM AN
UNDERGROUND STORAGE TANK [SYSTEM] THAT IS NECESSARY UNDER THIS PART to
prevent, minimize, or mitigate injury to the public health, safety,

or welfare, the environment, or natural resources.

~~———— (e) "De minimis spill" means a spill of petroleum as that term is described in section 21303(d)(ii) that contaminates not more than 20 cubic yards of soil per underground storage tank or 50 cubic yards of soil per location, in which groundwater has not been affected by the spill, and which is abated pursuant to section 21306.~~

~~———— (f) "Free product" means a regulated substance in a liquid phase equal to or greater than 1/8 inch of measurable thickness, that is not dissolved in water, and that has been released into the environment.~~

(I) "DNAPL" MEANS A DENSE NONAQUEOUS-PHASE LIQUID WITH A SPECIFIC GRAVITY GREATER THAN 1 AND COMPOSED OF 1 OR MORE ORGANIC COMPOUNDS THAT ARE IMMISCIBLE OR SPARINGLY SOLUBLE IN WATER. DNAPL ENCOMPASSES ALL POTENTIAL OCCURRENCES OF DNAPL.

(J) "GRAB SAMPLE" MEANS A SINGLE SAMPLE OR MEASUREMENT TAKEN AT A SPECIFIC TIME OR OVER AS SHORT A PERIOD AS FEASIBLE.

(K) ~~(g)~~ "Groundwater" means water below the land surface in the zone of saturation AND CAPILLARY FRINGE.

(I) "GROUNDWATER NOT IN AN AQUIFER" MEANS THE SATURATED FORMATION BELOW THE LAND SURFACE THAT YIELDS GROUNDWATER AT AN INSIGNIFICANT RATE CONSIDERING THE LOCAL AND REGIONAL HYDROGEOLOGY AND IS NOT LIKELY IN HYDRAULIC COMMUNICATION WITH GROUNDWATER IN AN AQUIFER. THIS INCLUDES WATER TRAPPED OR ISOLATED IN FILL MATERIAL IN AN UNDERGROUND STORAGE TANK OR EQUIVALENT BASIN.

(M) ~~(h)~~ "Heating oil" means petroleum that is no. 1, no. 2, no. 4-light, no. 4-heavy, no. 5-light, no. 5-heavy, and no. 6

1 technical grades of fuel oil; other residual fuel oils including
2 navy special fuel oil and bunker c; and other fuels when used as
3 substitutes for 1 of these fuel oils. Heating oil is typically used
4 in the operation of heating equipment, boilers, or furnaces.

5 (N) "LNAPL" MEANS A LIGHT NONAQUEOUS-PHASE LIQUID HAVING A
6 SPECIFIC GRAVITY LESS THAN 1 AND COMPOSED OF 1 OR MORE ORGANIC
7 COMPOUNDS THAT ARE IMMISCIBLE OR SPARINGLY SOLUBLE IN WATER, AND
8 THE TERM ENCOMPASSES ALL POTENTIAL OCCURRENCES OF LNAPL.

9 (O) ~~(i)~~—"Local unit of government" means a city, village,
10 township, county, fire department, or local health department as
11 defined in section 1105 of the public health code, ~~Act No. 368 of~~
12 ~~the Public Acts of 1978, being section 333.1105 of the Michigan~~
13 ~~Compiled Laws. 1978 PA 368, MCL 333.1105.~~

14 (P) "LOW FLOW SAMPLING" MEANS MINIMAL DRAWDOWN GROUNDWATER
15 SAMPLING PROCEDURES AS DESCRIBED IN THE UNITED STATES ENVIRONMENTAL
16 PROTECTION AGENCY, OFFICE OF RESEARCH AND DEVELOPMENT, OFFICE OF
17 SOLID WASTE AND EMERGENCY RESPONSE, EPA/540/S-95/504, DECEMBER,
18 1995, EPA GROUNDWATER ISSUE.

19 (Q) "MIGRATING NAPL" MEANS NAPL THAT IS OBSERVED TO SPREAD OR
20 EXPAND Laterally or Vertically or Otherwise Result in an Increased
21 Volume of the NAPL Extent, Usually Indicated by Time Series Data or
22 Observation. Migrating NAPL Does Not Include NAPL that Appears in a
23 Well within the Historical Extent of the NAPL Due to a Fluctuating
24 Water Table.

25 (R) "MOBILE NAPL" MEANS NAPL THAT EXCEEDS RESIDUAL SATURATION,
26 AND INCLUDES MIGRATING NAPL, BUT NOT ALL MOBILE NAPL IS MIGRATING
27 NAPL.

1 Sec. 21303. As used in this part:

2 (A) "NAPL" MEANS A NONAQUEOUS-PHASE LIQUID OR A NONAQUEOUS-
3 PHASE LIQUID SOLUTION COMPOSED OF 1 OR MORE ORGANIC COMPOUNDS THAT
4 ARE IMMISCIBLE OR SPARINGLY SOLUBLE IN WATER. NAPL INCLUDES BOTH
5 DNAPL AND LNAPL.

6 (B) ~~(a)~~—"Operator" means a person who is presently, or was at
7 the time of a release, in control of, or responsible for, the
8 operation of an underground storage tank system and who is liable
9 under part ~~201-213~~.

10 (C) ~~(b)~~—"Owner" means a person who holds, or at the time of a
11 release who held, a legal, equitable, or possessory interest of any
12 kind in an underground storage tank system or in the property on
13 which an underground storage tank system is located including, but
14 not limited to, a trust, vendor, vendee, lessor, or lessee and who
15 is liable under part ~~201-213~~.

16 (D) "PROPERTY" MEANS REAL ESTATE THAT HAS BEEN IMPACTED BY A
17 RELEASE FROM AN UNDERGROUND STORAGE TANK SYSTEM.

18 (E) "QUALIFIED UNDERGROUND STORAGE TANK CONSULTANT" MEANS A
19 PERSON WHO MEETS THE REQUIREMENTS ESTABLISHED IN SECTION 21325.

20 (F) ~~(e)~~—"RBCA" means the American society for testing and
21 materials (ASTM) document entitled standard guide for risk-based
22 corrective action applied at petroleum release sites, designation E
23 1739-95 ~~7~~—(REAPPROVED 2010) E1; STANDARD GUIDE FOR RISK-BASED
24 CORRECTIVE ACTION DESIGNATION E 2081-00 (REAPPROVED 2010) E1; AND
25 STANDARD GUIDE FOR DEVELOPMENT OF CONCEPTUAL SITE MODELS AND
26 REMEDIATION STRATEGIES FOR LIGHT NONAQUEOUS-PHASE LIQUIDS RELEASED
27 TO THE SUBSURFACE DESIGNATION E 2531-06 E1, ALL OF which ~~is~~ ARE

1 hereby incorporated by reference.

2 (G) ~~(d)~~—"Regulated substance" means any of the following:

3 (i) A substance defined in section 101(14) of title I of the
4 comprehensive environmental response, compensation, and liability
5 act of 1980, Public Law 96-510, 42 ~~U.S.C.—USC~~ 9601, but not
6 including a substance regulated as a hazardous waste under subtitle
7 C of the solid waste disposal act, title II of Public Law 89-272,
8 42 ~~U.S.C.—USC~~ 6921 to 6939e.

9 (ii) Petroleum, including crude oil or any fraction of crude
10 oil that is liquid at standard conditions of temperature and
11 pressure (60 degrees Fahrenheit and 14.7 pounds per square inch
12 absolute). Petroleum includes but is not limited to mixtures of
13 petroleum with de minimis quantities of other regulated substances
14 and petroleum-based substances composed of a complex blend of
15 hydrocarbons derived from crude oil through processes of
16 separation, conversion, upgrading, or finishing such as motor
17 fuels, jet fuels, distillate fuel oils, residual fuel oils,
18 lubricants, and petroleum solvents.

19 (iii) A substance listed in section 112 of part A of title I of
20 the clean air act, chapter 360, 84 Stat. 1685, 42 ~~U.S.C.—USC~~ 7412.

21 (H) ~~(e)~~—"Release" means any spilling, leaking, emitting,
22 discharging, escaping, or leaching from an underground storage tank
23 system into groundwater, surface water, or subsurface soils.

24 (I) "RESIDUAL NAPL SATURATION" MEANS THE RANGE OF NAPL
25 SATURATIONS GREATER THAN ZERO NAPL SATURATION UP TO THE NAPL
26 SATURATION AT WHICH NAPL CAPILLARY PRESSURE EQUALS PORE ENTRY
27 PRESSURE AND INCLUDES THE MAXIMUM NAPL SATURATION, BELOW WHICH NAPL

1 IS DISCONTINUOUS AND IMMOBILE UNDER THE APPLIED GRADIENT.

2 (J) "RISK-BASED SCREENING LEVEL" OR "RBSL" MEANS THE
3 UNRESTRICTED RESIDENTIAL AND NONRESIDENTIAL GENERIC CLEANUP
4 CRITERIA DEVELOPED BY THE DEPARTMENT PURSUANT TO PART 201.

5 (K) "SATURATED ZONE" MEANS A SOIL AREA WHERE THE SOIL PORES
6 ARE FILLED WITH GROUNDWATER AND CAN INCLUDE THE PRESENCE OF LNAPL.

7 (I) ~~(f)~~ "Site" means a location where a release has occurred or
8 a threat of release exists from an underground storage tank system,
9 excluding any location where corrective action was completed which
10 satisfies the ~~cleanup criteria for unrestricted residential use~~
11 ~~under this part.~~ APPLICABLE RBSL OR SSTL.

12 (M) "SURFACE WATER" MEANS ALL OF THE FOLLOWING, BUT DOES NOT
13 INCLUDE GROUNDWATER OR AN ENCLOSED SEWER, OTHER UTILITY LINE, STORM
14 WATER RETENTION BASIN, OR DRAINAGE DITCH:

15 (i) THE GREAT LAKES AND THEIR CONNECTING WATERS.

16 (ii) ALL INLAND LAKES.

17 (iii) RIVERS.

18 (iv) STREAMS.

19 (v) IMPOUNDMENTS.

20 (N) "SITE-SPECIFIC TARGET LEVEL" OR "SSTL" MEANS AN RBCA RISK-
21 BASED REMEDIAL ACTION TARGET LEVEL FOR CONTAMINATION DEVELOPED FOR
22 A SITE UNDER RBCA TIER II AND TIER III EVALUATIONS.

23 (O) ~~(g)~~ "Threat of release" or "threatened release" means any
24 circumstance that may reasonably be anticipated to cause a release.
25 THREAT OF RELEASE OR THREATENED RELEASE DOES NOT INCLUDE THE
26 OWNERSHIP OR OPERATION OF AN UNDERGROUND STORAGE TANK SYSTEM IF THE
27 UNDERGROUND STORAGE TANK SYSTEM IS OPERATED IN ACCORDANCE WITH PART

211 AND RULES PROMULGATED UNDER THAT PART.

(P) ~~(h)~~—"Tier I", "tier II", and "tier III" mean those terms as they are used in RBCA.

(Q) ~~(i)~~—"Underground storage tank system" means a tank or combination of tanks, including underground pipes connected to the tank or tanks, which is, was, or may have been used to contain an accumulation of regulated substances, and the volume of which, including the volume of the underground pipes connected to the tank or tanks, is 10% or more beneath the surface of the ground. An underground storage tank system does not include any of the following:

(i) A farm or residential tank of 1,100 gallons or less capacity used for storing motor fuel for noncommercial purposes.

(ii) A tank used for storing heating oil for consumptive use on the premises where the tank is located.

(iii) A septic tank.

(iv) A pipeline facility, including gathering lines regulated under either of the following:

(A) The natural gas pipeline safety act of 1968, Public Law 90-481, 49 ~~U.S.C.~~ **USC** Appx 1671 to 1677, 1679a to 1682, and 1683 to 1687.

(B) Sections 201 to 215 and 217 of the hazardous liquid pipeline safety act of 1979, title II of Public Law 96-129, 49 ~~U.S.C.~~ **USC** Appx 2001 to 2015.

(v) A surface impoundment, pit, pond, or lagoon.

(vi) A storm water or wastewater collection system.

(vii) A flow-through process tank.

1 (viii) A liquid trap or associated gathering lines directly
2 related to oil or gas production and gathering operations.

3 (ix) A storage tank situated in an underground area such as a
4 basement, cellar, mineworking, drift, shaft, or tunnel if the
5 storage tank is situated upon or above the surface of the floor.

6 (x) Any pipes connected to a tank that is described in
7 subdivisions (i) to (ix).

8 (xi) An underground storage tank system holding hazardous
9 wastes listed or identified under subtitle C of the solid waste
10 disposal act, title II of Public Law 89-272, 42 ~~U.S.C.~~ **USC** 6921 to
11 6939e, or a mixture of such hazardous waste and other regulated
12 substances.

13 (xii) A wastewater treatment tank system that is part of a
14 wastewater treatment facility regulated under section 307(b) of
15 title III or section 402 of title IV of the federal water pollution
16 control act, 33 ~~U.S.C.~~ **USC** 1317 and 1342.

17 (xiii) Equipment or machinery that contains regulated substances
18 for operational purposes such as hydraulic lift tanks and
19 electrical equipment tanks.

20 (xiv) An underground storage tank system that has a capacity of
21 110 gallons or less.

22 (xv) An underground storage tank system that contains a de
23 minimis concentration of regulated substances.

24 (xvi) An emergency spill or overflow containment underground
25 storage tank system that is expeditiously emptied after use.

26 **(R)** ~~(j)~~ "Vadose zone" means the ~~zone~~ **SOIL** between the land
27 surface and the ~~water table, or zone of saturation.~~ **TOP OF THE**

1 **CAPILLARY FRINGE.** Vadose zone is also known as an unsaturated zone
2 or a zone of aeration.

3 Enacting section 1. This amendatory act does not take effect
4 unless all of the following bills of the 96th Legislature are
5 enacted into law:

- 6 (a) Senate Bill No. 528.
- 7 (b) Senate Bill No. 529.
- 8 (c) Senate Bill No. 530.
- 9 (d) Senate Bill No. 532.
- 10 (e) Senate Bill No. 533.