11

## **HOUSE BILL No. 4996**

October 15, 2015, Introduced by Reps. Aaron Miller, Hooker and Runestad and referred to the Committee on Regulatory Reform.

A bill to amend 1949 PA 300, entitled

"Michigan vehicle code,"

by amending section 709 (MCL 257.709), as amended by 2010 PA 258.

## THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

- 1 Sec. 709. (1) A person shall not operate a motor vehicle with
- 2 any of the following:
- 3 (a) A sign, poster, nontransparent material, window
- 4 application, reflective film, or nonreflective film upon or in the
- 5 front windshield, the side windows immediately adjacent to the
- 6 driver or front passenger, or the sidewings adjacent to and forward
- 7 of the driver or front passenger, except that a tinted film may be
- 8 used along the top edge of the windshield and the side windows or
  - sidewings immediately adjacent to the driver or front passenger if
- 10 the material does not extend more than 4 inches from the top of the
  - windshield, or lower than the shade band, whichever is closer to

03930'15 KED

- 1 the top of the windshield.
- 2 (b) A rear window or side window to the rear of the driver
- 3 composed of, covered by, or treated with a material that creates a
- 4 total solar reflectance of 35% or more in the visible light range,
- 5 including a silver or gold reflective film.
- 6 (c) An object that obstructs the vision of the driver of the
- 7 vehicle, except as authorized by law.
- 8 (2) A person shall not drive a motor vehicle if driver
- 9 visibility through the rear window is obstructed, unless the
- 10 vehicle is equipped with 2 rearview mirrors, 1 on each side,
- 11 adjusted so that the operator has a clear view of the highway
- 12 behind the vehicle.
- 13 (3) This section does not apply to any of the following:
- 14 (a) The use of draperies, louvers, or other special window
- 15 treatments, except those specifically designated in this section,
- 16 on the rear window, or a side window to the rear of the driver if
- 17 the vehicle is equipped with 2 outside rearview mirrors, 1 on each
- 18 side, adjusted so that the driver has a clear view of the highway
- 19 behind the vehicle.
- 20 (b) The use of a nonreflective, smoked or tinted glass,
- 21 nonreflective film, perforated window screen, or other decorative
- 22 window application on the rear window or a side window to the rear
- 23 of the driver.
- 24 (c) The placement of a necessary certificate or sticker that
- 25 does not obstruct the driver's clear view of the roadway or an
- 26 intersecting roadway.
- 27 (d) A vehicle registered in another state, territory,

03930'15 KED

- 1 commonwealth of the United States, or another country or province.
- 2 (e) A special window treatment or application determined
- 3 necessary by a physician or optometrist, for the protection of a
- 4 person who is light sensitive or photosensitive, if the owner or
- 5 operator of a motor vehicle has in possession a letter signed by a
- 6 physician or optometrist, indicating that the special window
- 7 treatment or application is a medical necessity. However, the
- 8 special window treatment or application shall not interfere with or
- 9 obstruct the driver's clear vision of the highway or an
- 10 intersecting highway.
- 11 (4) Except as provided in subsection (5), the windshield on
- 12 each motor vehicle shall be equipped with a device for cleaning
- 13 rain, snow, or other moisture from the windshield, which device
- 14 shall be so constructed as to be controlled or operated by the
- 15 driver of the vehicle. A vehicle licensed as an-A historical
- 16 vehicle is exempt from this subsection if the vehicle was not
- 17 originally equipped with such a device. Each windshield wiper upon
- 18 a motor vehicle shall be maintained in good working order.
- 19 (5) A truck with a gross weight over 10,000 pounds, a truck
- 20 tractor, a bus, or a truck regardless of weight carrying hazardous
- 21 materials on which a placard is required to be posted pursuant to
- 22 UNDER 49 CFR parts 100 to 199 having a windshield shall be equipped
- 23 with not less than 2 automatically operating windshield wiper
- 24 blades, 1 on each side of the centerline of the windshield, for
- 25 cleaning rain, snow, or other moisture from the windshield. The
- 26 blades shall be in such A condition as to provide THAT PROVIDES
- 27 clear vision for the driver, unless 1 blade is so—arranged SO as to

03930'15 KED

- 1 clean an area of the windshield extending to within 1 inch of the
- 2 limit of vision through the windshield at each side. However, in
- 3 driveaway-towaway operations, this subsection applies only to the
- 4 operated vehicle. In addition, 1 windshield wiper blade suffices
- 5 under this subsection when the driven vehicle in a driveaway-
- 6 towaway operation constitutes part or all of the property being
- 7 transported and has no provision for 2 blades. A truck and truck
- 8 tractor, manufactured after June 30, 1953, that depends upon vacuum
- 9 to operate the windshield wipers, shall be so-constructed SO that
- 10 the operation of the wipers is not materially impaired by change in
- 11 the intake manifold pressure.
- 12 (6) A truck with a gross weight over 10,000 pounds, a truck
- 13 tractor, a bus, or a truck regardless of weight carrying hazardous
- 14 materials on which a placard is required to be posted under 49 CFR
- parts 100 to 199 shall not be operated on the highways at any time
- 16 unless it is equipped with a hot air windshield defroster or an
- 17 electrically heated windshield or other device to heat and maintain
- 18 the windshield in operable condition at all times.
- 19 (7) As used in this section:
- 20 (a) "Physician" means that term as defined in section 17001 or
- 21 17501 of the public health code, 1978 PA 368, MCL 333.17001 and
- **22** 333.17501.
- 23 (b) "Optometrist" means that term as defined in section 17401
- 24 of the public health code, 1978 PA 368, MCL 333.17401.