Act No. 191
Public Acts of 2015
Approved by the Governor
November 16, 2015

Filed with the Secretary of State November 16, 2015

EFFECTIVE DATE: February 14, 2016

STATE OF MICHIGAN 98TH LEGISLATURE REGULAR SESSION OF 2015

Introduced by Reps. Barrett, Glenn, Sheppard, Chatfield, Jacobsen, Kelly, Tedder, Hughes, Jenkins, Sarah Roberts, Johnson, Potvin, Webber, Pagan, Bizon and Faris

ENROLLED HOUSE BILL No. 4134

AN ACT to amend 1965 PA 290, entitled "An act to regulate the use, construction, installation, and repair of certain boilers; to create a board of boiler rules; to prescribe uniform rules and regulations for certain boilers; to provide for the licensing of certain boiler inspectors, installers, and repairers and registration of certain boiler operators and stationary engineers; to provide for powers and duties for certain state agencies and officers; to provide fees for registrations, licenses, permits, inspections, and certificates; to provide penalties and remedies for the violation of this act; and to repeal acts and parts of acts," by amending sections 2, 4, and 13d (MCL 408.752, 408.754, and 408.763d), sections 2 and 13d as amended by 2013 PA 167 and section 4 as amended by 2008 PA 159.

The People of the State of Michigan enact:

Sec. 2. (1) As used in this act:

- (a) "Antique steam boiler" means a boiler that is no longer used in production applications and is used to demonstrate the historical significance of steam boilers in American history.
- (b) "Approved apprenticeship program" means a training program for boiler operators or stationary engineers that is certified by or meets the standards of the United States Department of Labor, Bureau of Apprenticeship Training and is approved by the board.
- (c) "Armed forces" means that term as defined in section 2 of the veteran right to employment services act, 1994 PA 39, MCL 35.1092.
- (d) "Associated auxiliaries" means equipment that is required in the operation of a boiler that includes, but is not limited to, pumps, regulators, feedwater heaters, superheaters, de-superheaters, economizers, air preheaters, draft fans, combustion and pollution control equipment, and prime movers.
 - (e) "Board" means the board of boiler rules created in section 3.
- (f) "Boiler" means a closed vessel in which water is heated, steam is generated, or steam is superheated, or a combination of those actions occur, under pressure or vacuum by the application of heat from combustible fuels, electricity, or nuclear energy. Boiler does not include facilities of an integral part of a continuous processing unit but does include a fired unit for heating or vaporizing liquids other than water, if the unit is separate from a processing system and is complete within itself.
- (g) "Boiler for agricultural purposes" means a portable boiler used in a field or similar open area for the sole purpose of operating farm equipment or farm machinery.
- (h) "Boiler operator" or "stationary engineer" means an individual who is engaged in the operation of boilers and associated auxiliaries.

- (i) "Certificate inspection" means an inspection that is conducted for purposes of preparing a report described in section 20. The certificate inspection shall be an internal inspection if construction allows; otherwise the certificate inspection shall be as complete an inspection as possible.
 - (j) "Department" means the department of licensing and regulatory affairs.
 - (k) "Director" means the director of the department or a representative designated by the director.
- (l) "External inspection" means an inspection that does not involve examination of the internal surfaces of the pressure parts of the boiler.
- (m) "Heating surface" means the heating surface determined by the boiler manufacturer and recorded in the manufacturer's data report or by rules established by the board for a boiler if the manufacturer's data report is not available or the boiler is not stamped with its heating surface.
- (n) "High pressure, high temperature water boiler" means a water heating boiler operating at pressure that exceeds 160 p.s.i.g. or temperatures that exceed 250 degrees Fahrenheit.
- (o) "Low pressure boiler" means a steam boiler operated at pressures that do not exceed 15 p.s.i.g., or a hot water heating boiler operated at pressures that do not exceed 160 p.s.i.g. or temperatures that do not exceed 250 degrees Fahrenheit.
 - (p) "P.S.I.G." means pounds per square inch gauge.
- (q) "Power boiler" means a closed vessel in which steam or other vapor is generated at a pressure of more than 15 p.s.i.g. by the direct application of heat.
- (r) "Process boiler" means a boiler that is operated at a pressure or temperature from which more than 10% of the boiler's capacity is used for direct steam humidification or direct process work.
- (s) "Qualified technical education program" means an educational program that is approved by the board and that has a minimum of 350 contact hours in classroom hands-on training, field training, or supervised plant visits for high pressure boiler operators. The board may establish lesser standards for an educational program for low pressure operator training or other entry level training positions only.
 - (t) "Qualified training program" means any of the following:
- (i) An in-house training program approved by the board and offered to boiler operators and stationary engineers by an employer.
- (ii) An in-house training program implemented or developed by a utility and offered to boiler operators and stationary engineers by an employer as a result of negotiations between an employer and its employees.
- (iii) A training program offered to active duty boiler operators and stationary engineers by a branch of the armed forces.
- (u) "Rule" means a rule promulgated under the administrative procedures act of 1969, 1969 PA 306, MCL 24.201 to 24.328.
 - (v) "Secondhand boiler" means a boiler that has changed ownership and location after initial use.
- (2) As used in this act and for purposes of any rules promulgated under this act, in connection with any requirements for a license to inspect, install, or repair boilers or for registration as a boiler operator or stationary engineer in 1 or more of the classifications described in section 13b, "experience" includes any relevant experience acquired while serving in the armed forces by an individual who was separated from that service if all of the following are met:
- (a) The applicant provides to the department a form DD214, a form DD215, or any other form that is satisfactory to the department that demonstrates that he or she was separated from that service, with an honorable character of service or under honorable conditions (general) character of service.
- (b) The applicant submits with his or her application for licensure or registration an affidavit or letter signed by a commanding officer, supervisor, or military superior with direct knowledge of the applicant's service that describes his or her experience designing, constructing, manufacturing, installing, inspecting, operating, repairing, or maintaining boilers and associated auxiliaries while serving in the armed forces.
- Sec. 4. (1) The department shall promulgate rules for the safe construction, installation, inspection, alteration, servicing, operation, and repair of boilers in the state. For purposes of this subsection, the department by rule may adopt an existing published codification or national standards and any amendments and interpretations of the codification or standards.
- (2) A departure from the requirements of this section is permitted in an unusual situation involving a boiler of special design or construction if the board is satisfied that a proposed facility will provide a degree of safety commensurate with the intent of this act.
- (3) When it receives payment of a fee under section 4a, and without examination, the board may register an applicant for the use of a title described in section 13a if the applicant is a boiler operator or stationary engineer licensed or registered as a boiler operator or stationary engineer in another state, municipality, or country whose requirements

for licensure or registration are, at a minimum, substantially equivalent to the requirements of this state for registration as determined by the board, and if that other state, municipality, or country extends the same privileges through reciprocity to a boiler operator or stationary engineer registered in this state.

- Sec. 13d. (1) The director shall not issue a registration for a title described in section 13a(2) unless the applicant meets the requirements for the classification under subsections (2) to (6).
- (2) An applicant for a low pressure boiler operator registration shall have at least 1 year of experience operating or maintaining low or high pressure boilers, steam prime movers, or associated auxiliaries.
 - (3) An applicant for a high pressure boiler operator registration shall have 1 or more of the following:
 - (a) At least 2 years of experience in the operation of a high pressure boiler.
- (b) A low pressure boiler operator's registration and at least 1 year of experience in the operation of a low pressure boiler.
- (c) At least 1 year of either a qualified training program, a qualified technical education program, or an approved apprenticeship program.
 - (4) An applicant for a third-class stationary engineer registration shall meet 1 or more of the following requirements:
- (a) Is registered as a high pressure boiler operator and have at least 1 year of experience in the operation of a high pressure boiler.
- (b) Is registered as a low pressure boiler operator, has at least 1 year of experience in the operation of a low pressure boiler, and has at least 1 year of maintenance experience on high pressure boilers and associated auxiliaries.
- (c) Is registered as a high pressure boiler operator and has at least 1 year of boiler maintenance experience or at least 1 year as an apprentice in an approved training program in a high pressure boiler plant that has an aggregate heating surface of more than 4,000 square feet.
- (d) Have at least 3 years of experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 4,000 square feet.
- (e) Have at least 1 year of experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 4,000 square feet along with sufficient experience operating steam prime movers in excess of 10 horsepower for a combined total of at least 3 years of experience.
- (f) Have an associate degree in energy technology or a related field, as determined by the board, with a power engineering option from a 2-year college whose program is approved by the board and employment or cooperative education experience of at least 360 hours as a power engineer, boiler operator, or stationary engineer in a steam electric generation plant or a high pressure steam heating or process plant.
 - (5) An applicant for a second-class stationary engineer registration shall meet 1 or more of the following requirements:
- (a) Is registered as a third-class stationary engineer and has at least 1 year of experience as a third-class stationary engineer.
- (b) Have a bachelor's degree in engineering, engineering technology, heating/power technology, or energy technology from a college or university whose program is approved by the board and employment experience as an engineer in the engineering or research division of a steam electric power generating plant for at least 1 year.
- (c) Have at least 4 years of experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 7,500 square feet.
- (d) Have at least 1 year of experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 7,500 square feet along with sufficient experience operating steam prime movers in excess of 100 horsepower for a combined total of at least 4 years of experience.
- (e) Have at least 1 year of experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 7,500 square feet along with sufficient experience operating boilers in a high pressure boiler plant that have an aggregate heating surface of more than 4,000 square feet for a combined total of at least 4 years of experience.
 - (6) An applicant for a first-class stationary engineer registration shall meet 1 or more of the following requirements:
- (a) Is registered as a second-class stationary engineer and has at least 2 years of experience as a second-class stationary engineer.
- (b) Have at least 6 years of experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 20,000 square feet.
- (c) Have at least 2 years of experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 20,000 square feet along with sufficient experience operating steam prime movers in excess of 200 horsepower for a combined total of at least 6 years of experience.

- (d) Have at least 2 years of experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 20,000 square feet along with sufficient experience in the operation of boilers in a high pressure boiler plant that have an aggregate heating surface of more than 7,500 square feet of heating surface for a combined total of at least 6 years of experience.
 - (e) Complete a 4-year approved apprenticeship program or a 4-year qualified training program.
- (f) Complete a 4-year program with a bachelor's degree from a college or university in engineering, engineering technology, heating/power technology, or energy technology whose program is approved by the board and which includes a hands-on power option from a 2-year community college program or the equivalent, as determined by the board, and not less than 1 year of employment, internship, or cooperative education experience in a steam electric generation plant or high pressure steam heating process plant.

Enacting section 1. This amendatory act takes effect 90 da	ys after the date it is enacted into law.
This act is ordered to take immediate effect.	Sany Exampall
	Clerk of the House of Representatives
	My T Cobb
	Secretary of the Senate
Approved	
Governor	