9

10

11

HOUSE BILL No. 4660

May 25, 2017, Introduced by Reps. Pagel, Brann, Lucido, Geiss, Yaroch, Elder and Love and referred to the Committee on Regulatory Reform.

A bill to amend 1972 PA 230, entitled "Stille-DeRossett-Hale single state construction code act," by amending section 4d (MCL 125.1504d), as added by 2008 PA 376.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

1 Sec. 4d. (1) Beginning December 1, 2009 and involving only 2 buildings and structures newly constructed on or after that date, 3 the THE owner, operator, or builder of A residential occupancies 4 where STRUCTURE the occupants OF WHICH are primarily transient in nature, including, but not limited to, A boarding houses, hotels, 5 6 and motels, HOUSE, HOTEL, OR MOTEL, shall install 1 operational 7 carbon monoxide device at each source point AND IN EACH ROOM OR AREA THAT ADJOINS A SOURCE POINT. 8

(2) The carbon monoxide device described in subsection (1) may be battery-powered, plug-in with or without battery backup, wired into the dwelling's AC power line with secondary battery backup, or

H02818'17 * JLB

- 1 connected to a system by means of a control panel. The carbon
- 2 monoxide device required under subsection (1) shall have an alarm
- 3 that is audible. If the international building code contains a
- 4 requirement for a carbon monoxide device and that requirement is
- 5 adopted by the director as part of a code adopted after the
- 6 effective date of the amendatory act that added this subsection,
- 7 DECEMBER 23, 2008, those requirements apply and shall be followed
- 8 upon the effective date of the code.
- 9 (3) A person who installs, in accordance with the
- 10 manufacturer's published instructions in existence at the time of
- 11 installation, a carbon monoxide device shall have no liability, IS
- 12 NOT LIABLE, directly or indirectly, to any person with respect to
- 13 the operation, maintenance, or effectiveness of the carbon monoxide
- 14 device.
- 15 (4) The owner or operator of the residential occupancy
- 16 described in subsection (1), who installs or arranges for the
- 17 installation of and who maintains a carbon monoxide device in
- 18 accordance with the manufacturer's published instructions in
- 19 existence at the time of the installation, shall have no liability,
- 20 IS NOT LIABLE, directly or indirectly, to any person with respect
- 21 to the operation or effectiveness of the carbon monoxide device.
- 22 (5) As used in this section:
- 23 (a) "Carbon monoxide device" means a device that detects
- 24 carbon monoxide, alerts occupants via a distinct and audible signal
- 25 that is either self-contained in the unit or activated via a system
- 26 connection, and is certified by a nationally recognized testing
- 27 laboratory to conform to the latest standards of the underwriters

H02818'17 * JLB

- 1 laboratories UNDERWRITERS LABORATORIES standards.
- 2 (b) "Operational" means working and in service.
- 3 (c) "Source point" means an area where a mechanism is present
- 4 that provides a common source of heat from a fossil-fuel-burning
- 5 furnace, boiler, or water heater, but does not include only the
- 6 presence of a wood or fossil-fuel-burning fireplace or a wood or
- 7 fossil-fuel-burning space heater.

H02818'17 * Final Page JLB