1

7

11

SENATE BILL No. 379

May 16, 2017, Introduced by Senators BIEDA, JONES, CONYERS, GREGORY, JOHNSON and WARREN and referred to the Committee on Regulatory Reform.

A bill to amend 1972 PA 230, entitled "Stille-DeRossett-Hale single state construction code act," by amending section 4d (MCL 125.1504d), as added by 2008 PA 376.

THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

Sec. 4d. (1) Beginning December 1, 2009 and involving only

- buildings and structures newly constructed on or after that date,

 the THE owner, operator, or builder of A residential occupancies
- 4 where STRUCTURE NEWLY CONSTRUCTED ON OR AFTER DECEMBER 1, 2009 the
- 5 occupants OF WHICH are primarily transient in nature, including,
- but not limited to, A boarding houses, hotels, and motels, HOUSE,
 - HOTEL, OR MOTEL, shall install 1 operational carbon monoxide device
- at each source point AND IN EACH ROOM OR AREA THAT ADJOINS A SOURCE
- POINT.
 - (2) The carbon monoxide device described in subsection (1) may be battery-powered, plug-in with or without battery backup, wired

02818'17 JLB

- 1 into the dwelling's AC power line with secondary battery backup, or
- 2 connected to a system by means of a control panel. The carbon
- 3 monoxide device required under subsection (1) shall have an alarm
- 4 that is audible. If the international building code contains a
- 5 requirement for a carbon monoxide device and that requirement is
- 6 adopted by the director as part of a code adopted after the
- 7 effective date of the amendatory act that added this subsection,
- 8 DECEMBER 23, 2008, those requirements apply and shall be followed
- 9 upon the effective date of the code.
- 10 (3) A person who installs, in accordance with the
- 11 manufacturer's published instructions in existence at the time of
- 12 installation, a carbon monoxide device shall have no liability, IS
- 13 NOT LIABLE, directly or indirectly, to any person with respect to
- 14 the operation, maintenance, or effectiveness of the carbon monoxide
- 15 device.
- 16 (4) The owner or operator of the residential occupancy
- 17 described in subsection (1), who installs or arranges for the
- 18 installation of and who maintains a carbon monoxide device in
- 19 accordance with the manufacturer's published instructions in
- 20 existence at the time of the installation, shall have no liability,
- 21 IS NOT LIABLE, directly or indirectly, to any person with respect
- 22 to the operation or effectiveness of the carbon monoxide device.
- 23 (5) As used in this section:
- 24 (a) "Carbon monoxide device" means a device that detects
- 25 carbon monoxide, alerts occupants via a distinct and audible signal
- 26 that is either self-contained in the unit or activated via a system
- 27 connection, and is certified by a nationally recognized testing

02818'17 JLB

- 1 laboratory to conform to the latest standards of the underwriters
- 2 laboratories UNDERWRITERS LABORATORIES standards.
- 3 (b) "Operational" means working and in service.
- 4 (c) "Source point" means an area where a mechanism is present
- 5 that provides a common source of heat from a fossil-fuel-burning
- 6 furnace, boiler, or water heater, but does not include only the
- 7 presence of a wood or fossil-fuel-burning fireplace or a wood or
- 8 fossil-fuel-burning space heater.