## **HOUSE BILL NO. 4203**

February 10, 2021, Introduced by Reps. Jones, O'Malley, Allor and Roth and referred to the Committee on Judiciary.

A bill to amend 1990 PA 187, entitled "The pupil transportation act,"

by amending section 33 (MCL 257.1833), as amended by 2018 PA 422.

## THE PEOPLE OF THE STATE OF MICHIGAN ENACT:

- 1 Sec. 33. (1) A school bus shall must be painted as follows:
- 2 (a) The body, cowl, hood, and fenders shall must be national
- 3 school bus chrome yellow.
- 4 (b) The bumper, body trim, wheels, and lettering shall must be
- 5 black. The wheel rims shall must be gray, black, white, or natural,

001 01558'21 \*

- 1 as provided by the manufacturer.
- 2 (c) The wheel covers, if painted, shall must be black.
- 3 (d) The grill, if not chrome, shall must be national school4 bus chrome vellow.
- 5 (e) The mirrors, if painted, shall must be black or yellow.
- (f) The name of the school district or contractor shall must
  be permanently affixed in black letters that are at least 6 inches
  high on the sides of the bus. The name of the school district or
- 9 contractor shall must be permanently affixed on the front and back
  10 of the bus in black letters.
- 11 (g) The words "school bus" shall must be permanently affixed
  12 on the front and back of the bus between the overhead flashers in
  13 black letters that are at least 8 inches in height.
- (h) The outside of a school bus shall must not have any other lettering, symbol, marking, or advertising, except that animal pictures, cartoon figures, and similar insignia may be affixed to the bus in a temporary manner near the entrance door, but not closer than the second window, to assist in identifying the bus route. A unique identification number may be permanently affixed on the upper corners of the back, front, or sides of the bus. A
- 21 contractor shall display a USDOT number when required and in the
- 22 manner required by 49 CFR parts 390 to 399.
- (i) Wording for school bus roof and door emergency exits, for
  inside and outside the bus, shall must comply with the motor
  vehicle safety standards found in 49 CFR 571.217.
- (j) The roof of a school bus may be white or yellow. However, no part of a school bus may be white below the drip rail above the side windows.
- 29 (k) A sticker may be affixed to the side of a school bus that

00I 01558'21 \*

- 1 reads as follows: "An unauthorized person attempting to board or
- 2 boarding this school bus is subject to citation for a civil
- 3 infraction and may be ordered to pay a civil fine of not more than
- 4 \$500.00.". A sticker affixed to a school bus under this subdivision
- 5 must be affixed on the left side of the service door between the
- 6 bottom of the window and the black rub rails.
- 7 (2) A bus, other than a school bus, shall must not be painted,
- 8 in whole or in part, in the colors and design specified in
- 9 subsection (1). This subsection does not apply to either of the
- 10 following:
- 11 (a) A bus leased seasonally to transport agricultural workers
- 12 to and from a field for agricultural operations.
- 13 (b) A bus certified by the state transportation department
- 14 that is owned and operated by a private carrier primarily under
- 15 contract with a school system that is also used for occasional
- 16 charter service to the public or for school-related event
- 17 transportation.
- 18 (3) Subsection (1) does not apply to multifunction school
- 19 activity buses.
- 20 Enacting section 1. This amendatory act takes effect 90 days
- 21 after the date it is enacted into law.
- 22 Enacting section 2. This amendatory act does not take effect
- 23 unless Senate Bill No. or House Bill No. 4201 (request no.
- 24 01557'21 \*) of the 101st Legislature is enacted into law.